



INDOFIL OIL LUF

High Soft Polymeric Fatliquor

PHYSICAL PROPERTIES:

Composition	: Special natural & synthetic softners
Appearance	: Beige liquid
pH (10% in Water)	: 7.0 – 8.0
Hard water stability	: Good
Light fastness	: Good
Solubility	: Soluble in water in all proportions

DESCRIPTION:

Indofil Oil LUF is a highly softening, lightweight polymeric fatliquor which easily combines with other fatliquors to obtain a soft, fluffy & supple feel to leather. It penetrates deeply into the structure of the hide and skin. It combines a high degree of softness with a smooth grain, low density feel & low odour – ideal requirement of soft articles.

Indofil Oil LUF imparts following unique characteristics,

- Excellent softening properties
- Rich surface touch
- Fluffy feel
- Low density
- Good heat & lightfastness
- Very fine stable emulsion in hot & cold water

APPLICATIONS:

Indofil Oil LUF can be emulsified by adding water (Preferably Hot) with constant stirring. The prepared emulsion is then added to the vessel in the normal way. It can be used for Shoe nappa, sheep garment, sheep cabretta, goat nappa, cow lining, Cow DDDM & also buffalo furniture upholstery.

Indofil Oil LUF when using for buff substrate, it is advisable to use along with good quality fish oil. The product can be used in chrome bath, prefatliquor & main fatliquor. For optimum penetration, Indotan MB can be added along with the main fatliquor mixture. It is suitable for all types of lightfast articles.



INDOFIL OIL LUF is best used when combined with other fatliquors.

INDOFIL OIL LUF is having wide range of applications as follows :

- Shoe Nappa : 4-6% in fatliquoring along with other fatliquors
- Garment : 10-12% in fatliquoring along with other fatliquors
- Lining : 4-6% in fatliquoring along with other fatliquors
- Buff Upholstery : 10-15% in fatliquoring along with odourless fish oil.

STORAGE STABILITY:

6 Months if properly stored in cool & dry place under shed in sealed drums.

Prepared on 05-07-2011
(ICC/SPCD/Leather/July2011/Rev 1)